



COMHANHOLLAND
ALUMINIUM

FABRIC FRAMES
FROM STOCK
&
CUSTOM MADE



SEG fabric frames

SILICONE EDGE GRAPHICS FRAMES
FOR PRINTED FABRIC



T-Flex Fabric frames Specifications

Sign system:	T-Flex frameless fabric frames
Features:	Profiles & Parts for silicone edge graphics on a wall, freestanding or hanging
Application	Changeable, fabric with stitched on silicone keder
Use:	For indoor illuminated or non-illuminated
Light source:	Various LED options
Designed for:	Single and double-sided, cube and door applications
Profile:	6100 mm, EN AW 6060 T6, mill & anodised
Parts:	Feet, corner connectors, round corners, supports, support profile and quick connectors
Customisation:	Easy-to-assemble DIY kit on request




Non-illuminated single & double sided

T-Flex 09 Retro One-sided		1 131063 T-Flex 9/1 Adapterprofile straight anod L 6100
T-Flex 17 Straight One-sided		1 131002 (131004* 131003** 131000***) T-Flex 17/1 Straight mill 2 131078 Corner connector steel 17, 35 & 60 2 137152 Corner connector steel 100 mm 3 131079 Adjustable wall mounting hook-T17
T-Flex 17 Mini One-sided		1 131005 (131007* 131001**131006*** 131080****131081*****) T-Flex 17/1 Mini mill 2 137158 Corner connector M steel hexagon 2 137154 Corner connector L steel hexagon 2 137152 Straight connector 100 mm
T-Flex 17/1 with reinforcement detail One-sided		1 139130 T-Flex 17/1 with reinforcement detail anod 2 137158 Corner connector M steel hexagon 2 137154 Corner connector L steel hexagon 2 137152 Straight connector 100 mm

* Anodised profile ** RAL 9003 profile *** RAL 9005 profile ***** Drilled anodised ***** Drilled black

T-Flex 17/45°


One-sided



- 1 **131133*** (131134** 131135***)
T-Flex 17/45° anod
- 2 **137158**
Corner connector M steel hexagon
- 2 **137154**
Corner connector L steel hexagon
- 2 **137152**
Straight connector 100 mm

T-Flex 23/1


One-sided




- 1 **131010** (131012*)
T-Flex 23/1 mill
- 2 **137158**
Corner connector M steel hexagon
- 2 **137154**
Corner connector L steel hexagon
- 2 **137152**
Straight connector 100 mm
- 131025** (131026***)
T-Flex ABS corner grey

T-Flex 30/1

One-sided




- 1 **131310** (131311*)
T-Flex 30/1 Basic mill
- 3 **137158**
Corner connector M steel hexagon
- 3 **137152**
Straight connector 100 mm



- 2 **131314** (131315*)
T-Flex 30/1 Basic closed mill
- 3 **137154**
Corner connector L steel hexagon

T-Flex 32/1

One-sided




- 1 **131057** (131058*)
T-Flex 32/1 LP mill

- 2 **137158**
Corner connector M steel hexagon
- 2 **137154**
Corner connector L steel hexagon
- 2 **137152**
Straight connector 100 mm

T-Flex 35/1



One-sided



- 1 **131045** (131047* 131046***)
T-Flex 35/1 LED-frame mill
- 2 **137158**
Corner connector M steel hexagon
- 2 **137154**
Corner connector L steel hexagon
- 3 **131078**
Corner connector steel 17, 35 & 60
- 4 **3MTape**

T-Flex 40/2


One-sided



- 1 **131560 (131562*)**
T-Flex 40/2 mill
- 2 **137158**
Corner connector M steel hexagon
- 2 **137154**
Corner connector L steel hexagon
- 2 **137152**
Straight connector 100 mm

T-Flex 40/2 LED



One-sided




- 1 **131564 (131566*)**
T-Flex 40/2 LED mill
- 2 **137158**
Corner connector M steel hexagon
- 2 **137154**
Corner connector L steel hexagon
- 2 **137152**
Straight connector 100 mm

T-Flex 46/2 basic

Double-sided




- 1 **131114 (131116*)**
T-Flex 46/2 Basic open mill
- 2 **137158**
Corner connector M steel hexagon
- 2 **137154**
Corner connector L steel hexagon



- 3 **131115 (131117*)**
T-Flex 46/2 Basic closed mill
- 2 **137152**
Straight connector 100 mm

T-Flex 46/2


Double-sided



- 1 **131014 (131016* 131015***)**
T-Flex 46/2 mill
- 2 **137158**
Corner connector M steel hexagon
- 2 **137154**
Corner connector L steel hexagon
- 2 **137152**
Straight connector 100 mm

T-Flex 50/1


One-sided



- 1 **131054 (131055*)**
T-Flex 50/1 LightBox DT mill
- 2 **130708**
Corner connector FF
- 3 **ACP 2 mm Backpanel Matt white**
Dimension: H-42 mm W-42 mm
- 131059**
Backpanel support 50/55 - 40 mm

T-Flex 55/1


One-sided



- 1 **131050 (131052*)**
T-Flex 55/1 LightBox mill
 - 2 **130708**
Corner connector FF
 - 3 **ACP 2 mm Backpanel Matt white**
Dimension: H-32 mm W-32 mm
- 131059**
Backpanel support 50/55 - 40 mm

T-Flex 85/1


One-sided



- 1 **131085 (131087* 131086** 139018****)**
T-Flex 85/1 LightBox mill
 - 2 **130708**
Corner connector FF
 - 3 **ACP 2 mm Backpanel Matt white**
Dimension: H-5 mm W-5 mm
- 139019**
T-Flex 85/1 LightBox (3 mm) anod
- 131089**
Backpanel support 75/85/150 - 40 mm

T-Flex 100/1


One-sided



- 1 **131104 (131106* 131105** 131107*** 131101****)**
T-Flex 100/1 LightBox mill
 - 2 **131102**
T-Flex 100/1 Rolling profile T4 mill
 - 3 **130708**
Corner connector FF
 - 4 **ACP 2 mm Backpanel Matt white**
Dimension: H-15 mm W-15 mm
 - 5 **ACP 2 mm Backpanel Matt white**
Dimension: H-5 mm W-5 mm
- 131088**
Backpanel support 100 - 40 mm

T-Flex 120/1 DT



One-sided



- 1 **139293**
T-Flex 120/1 DT Outdoor anod
- 2 **139296**
Retainer for 139293 anod
- 3 **130708**
Corner connector FF
- 4 **130709**
Straight connector FF
- 5 **107095**
Rectangular tube 40x20x3.0 mill
- 6 **131089**
Backpanel support 75/85/150 - 40 mm

T-Flex 150/1

One-sided



- 1 **131150 (131152*)**
T-Flex 150/1 LightBox mill
 - 2 **130708**
Corner connector FF
 - 3 **130709**
Straight connector FF
 - 4 **ACP 2 mm Backpanel Matt white**
Dimension: H-5 mm W-5 mm
 - 5 **107090**
Rectangular tube 40x20x2.0 mill
- 130947**
Assembly bracket 35 [107090] mill






Window system



T-Flex 85/2 WG



One-sided



- 1 **131082 (131083*)**
T-Flex 85/2 WG mill
- 2 **130708**
Corner connector FF
- 3 **130709**
Straight connector FF

T-Flex 120/2


One-sided



- 1 **131142 (131143*)**
T-Flex 120/2 LightBox anod
- 2 **130708**
Corner connector FF
- 3 **122054**
Steel support corner 78x78 screwless
- 130889**
Spacer-reinforcement 40x36 RAL9016
- 131098**
Support bracket 25 mm with holes
(+ 2 nuts & bolts)

T-Flex 140/2 WG

One-sided





- 1 **131130 (131132*)**
T-Flex 140/2 WG mill
- 2 **130708**
Corner connector FF
- 3 **130709**
Straight connector FF

See page 18-23 for parts and accessories

T-Flex 60/2


Double-sided



- 1 **131075 (131077*)**
T-Flex 60/2 EdgeLight mill
- 2 **131078**
Corner connector steel 17, 35 & 60

T-Flex 96/2



Double-sided



- 1 **131090 (131092*)**
T-Flex 96/2 LightBox mill
- 2 **130708**
Corner connector FF
- 3 **130709**
Straight connector FF

SpeeTex 120/2


Double-sided



- 1 **131120 (131122*)**
SpeeTex 120/2 mill
- 2 **131165**
Click-Corner connector external
- 3 **131124**
SpeeTex Corner connector 100 hexagon
- 4 **131126**
SpeeTex Corner connector 78x78 for 120
- 5 **137154**
Corner connector L steel hexagon



SpeeTex 150/2

Double-sided



- 1 **131474 (131476*)**
Speetex 150/2 closed mill
- 2 **131479**
Speetex Corner connector 100 mm hexagon internal (125/150)

- 3 **131470 (131472*)**
Speetex 150/2 open mill
- 4 **131478**
Corner connector 78 for Speetex 150
- 5 **131164**
Support-Corner connector steel 150/160





T-Flex 170/2

Double-sided





- 1 **131170 (131172*)**
T-Flex 170/2 LightBox mill
- 2 **130708**
Corner connector FF
- 3 **130709**
Straight connector FF





T-Flex Cube

Cube





1 **131187**
T-Flex Cube Frame anod

2 **131180**
T-Flex Cube Corner piece

SpeeTex XXL Cube

Cube



1 **131176 (131177*)**
SpeeTex Cube XXL Frameprofile mill

2 **131175**
SpeeTex Cube XXL Corner piece

3 **131178**
Straight connector steel

131175



SpeeTex Cube XXL Corner piece

131179



SpeeTex Cube XXL
Stainless steel hangingpiece

131174



SpeeTex Connector for
reinforcement

131128




Cube XXL Foot M16 x 150 mm
(adjustable)

* Anodised profile






T-Flex 70 Outdoor One-sided





- 1 131532**
T-Flex 70 Outdoor Basic profile anod
- 2 131535 (131531* 131533** 131536***)**
T-Flex 70 Outdoor Cover profile anod
- 3 131538**
T-Flex 70 Outdoor Stainless steel corner connector
- 4 131539**
T-Flex 70 Outdoor Stainless steel bracket
- 5 131540**
T-Flex 70 Outdoor stainless steel screw ISO 7380
- 6 131541**
T-Flex 70 Outdoor Stainless steel cover spring
- 7 131542**
T-Flex 70 Outdoor Stainless steel blind rivet nut

MultiFrame Double-sided





- 1 131714 (131716*)**
MultiFrame Cornerprofile anod
- 2 131702 (131704**)**
MultiFrame Sideprofile anod
- 3 131726 (131728**)**
MultiFrame T-connecting profile anod
- 4 131708 (131710**)**
End cap sideprofile [131702] anod
- 5 131720 (131722**)**
End cap cornerprofile [131714] anod
- 6 131018**
Reinforcement profile S anod
- 7 131061**
Reinforcement S RAL 7021 structure
- 8 133613**
Supporting Profile L anod
- 9 139758**
T-connector 40 anod (133613)
- 10 139738**
Drilling template T-connector 139758
- 11 131022**
Connector straight [131018]
- 12 131543**
Stainless straight connector [131724/26, 131532]



T-Door

Door frame for stretching textiles




131222



T-Door Underrail profile anod

131232



T-Door Upperrail profile anod

131265



T-Door Steel Corner connector

131210



T-Door Rolling wheelset

131018



Reinforcement profile S anod

131242



T-Door Textile door profile anod

131252




T-Door ACP door profile anod

T-Door Fabric and ACP panel sliding door system




Keder Specifications

Sign system:	Keder profile
Features:	Profiles & Parts for hanging & stretching fabric using keder
Medium:	Textile, PVC cloth & other substrates using keder
Application:	Indoor & outdoor
Variants:	Single and double-sided
Profile:	6100 mm, EN AW 6060 T6, mill finish or anodised
Parts:	End caps & hanger for 138645/47



Keder 30/2 Double-sided



1 138660 (138662*)
Keder profile 30/2 mill


138663
Plastic end cap Keder 30/2 black

2 138654
Straight connector keder 30-44/2 steel

3 138653
Hinging connecting part Keder 30-44/2 steel



Keder 44/2 Double-sided



1 138639 (138642*)
Keder profile 44/2 mill


138652
Plastic end cap 138639/42 grey

2 138655
Hanging part M5 with hook keder 30-44/2

138650
Keder 7/2 white roll a 250 m



Keder 40/25 One-sided



M10 (138637)
Maximum width across 17 mm /
lifting eye nut M10 (**138640**)

1 138645 (138647*)
Keder profile 40x25 mill/anod


138648*
End cap 138647 anod

2 138641
Stainless steel A2 Bolts M10 x 20 DIN 933

138656
Straight connector keder 40/25 Steel

3 138640
Lifting eye nut M10

Keder 39/2 One-sided



1 134110
Keder profile 39x12 mill

Parts and accessories **Tension fabric displays**

Connectors and supports + straight

131078



Corner connector
steel 17, 35 & 60

137158



Corner connector
M Steel hexagon

137154



Corner connector
L steel hexagon

137620



Corner connector
60x60x5.0 11 mm mill

131124



SpeeTex Corner connector
100 hexagon

130708



Corner connector FF

131165



Click-corner connector external

131265



T-Door Steel Corner connector

131538



T-Flex 70 Outdoor stainless corner connector

131126



SpeeTex Corner connector
78x78

131166



SpeeTex 160 Corner piece
78x78

131025



Only in combination with 137154

T-Flex ABS corner grey

131026



Alleen in combinatie met 137154

T-Flex ABS corner black

131168



Straight support-connector steel (2)
150/160

131478



Corner connector 78 for Speetex 150

Backpanel supports

131059



Backpanel support 50/55 -
40 mm

131089





Backpanel support 75/85/150 -
40 mm

131088



Backpanel support 100 -
40 mm

Parts and accessories **Tension fabric displays**

131008  T-Flex 17 Corner solution 45 x 45 mm anod	131009  T-Flex 23 Corner solution 45x45 mm anod	131011  T-Flex 46 Corner solution 45x45 mm anod	137152  Straight connector 100 mm
130709  Straight connector FF	131178  Straight connector steel	131169  Adjustable click corner connector	131174  SpeedTex Connector for reinforcement
131030  T-Flex Hinge anod	131031  T-Flex Hinge black anod	131479  Speedtex Corner connector 100 mm hexagon internal	131164  Support-Corner connector Steel 150/160
131708  End cap sideprofile [131702] anod	131720  End cap cornerprofile [131714] anod	133613  Supporting Profile L anod	139758  T-connector 40 anod (133613)
139738  Drilling template T-connector 139758	131543  Stainless straight connector [131724/26, 131532]		

Parts and accessories **Tension fabric displays**

Supports

131018



Reinforcement profile S anod

131022



Connector straight [131018]

131023




Connector 45 degrees L+R [131018]

131028




45 dg. reinforcement 750 anod

131097




Support bracket 25 mm with holes

131098



Support bracket 25 mm with holes
(+ 2 nuts & bolts)

131099



Support bracket 25 mm
without holes

131174



SpeeTex Connector
for reinforcement

130889



Spacer - reinforcement 40x36
RAL 9016

131145



Mounting plate for Foot
[131085/131090]

Feet supports

131338



Foot Wall-Basic Aluminium
anod L: 223 mm

131118



Foot B Steel 400 x 60 RAL 9006

131340



Foot S-Basic Aluminium anod
L: 400 mm

131339



Foot M-Basic Aluminium anod
L: 600 mm

131037



Foot L Aluminium anod

131034



Foot G Aluminium anod

131139



SpeeTex Voet 500 120/150/160
anod L: 500 x 80 x 8 mm


131140



SpeeTex Foot 1 (wall) 330
120/150/160 anod

Aluminum, steel & stainless cable

Solutions for quick installation of sign systems

131079  Adjustable wall mounting hook T-17	131319  Hanging hook T-Flex 23/30 basic anod	131539  T-Flex 70 Outdoor stainless steel bracket	131113  Hanging hook T-Flex 46 basic anod
131111  Wall bracket for T-Flex 46 anod	131173  Lifting bold M8 stainless steel + block	130655  Hanging set steel cable hook 3 m T2 stainless steel	130298  Installing hook mill (130297)
138730  Suspensionclip Eco adjustable (34.5 x 10 mm side exit)	138734  Suspensionbus cylindrical (28.5x12 mm side exit)	138732  Suspensionbus conical (40x18 mm side exit)	138751  Adjustable Loop/Cablefixation black 3.0 mm
138752  Adjustable Loop/Cablefixation silver (1.5 mm)	138753  Adjustable Loop/Cablefixation black (1.5 mm)	138750  Adjustable Loop/Cablefixation (3.0 mm) silver	138762  Ceilinggripper with eyelet
138761  Ceilinggripper with adjust. cablebus 1.5 mm	138706  Steelcable with ball 4.5 x 1.5 mm L 1500	138646  Lifting eye M6 stainless steel	138649  Lifting eye nut M8 stainless steel

Parts and accessories **Tension fabric displays**

Magnets

139345



Heavy Duty Magnet 32 x 7.0 mm

138710



Heavy Duty Magnet
25 x 8.5 with counterring

138760



Magnetic Anchor 32 mm
incl. gripper

131041



Hexagon key 2.5 mm
ISO 2936

Tools

131043



Hexagon socketkey 3.0 mm
ISO 2936

131024



Torx key for connector
[131022/023/027]

131029



T-Flex Hexagon key (M4) 2.0 mm
ISO 2936

131017



Rubberroller 131021

Silicone edge

131464



Keder 12x3 PVC White (roll = 200 m)

131466



Keder 14x3 PVC White (roll = 200 m)

131460



Keder 12x3 PVC transparent
(roll = 200 m)

131462



Keder 14x3 PVC transparent
(roll = 200 m)

131020



Keder Silicone transparent 14 x 3 mm

131021




Roll-in rubber grey (200 m)

138650



Keder 7/2 white roll a 250 m



ALWAYS
AVAILABLE
FROM STOCK!

Trade show booth extrusions

1 **131035****
T-Flex Connecting profile anod

5 **131023**
Connector 45 degrees L+R [131018]

2 **131033**
T-Flex connecting part 40 mm anod

131024
Torx key for connector [131022/023/027]

3 **131018***
Reinforcement profile S anod

4 **131022**
Connector straight [131018]

* RAL 7021 ** RAL 7021 structure




Magnet / shelving

1 **139342**
Magnet shelf carrier anod

2 **139345**
Heavy Duty magnet 32 x 7.0 mm

139344
End cap magnet shelf carrier anod



Comhan SEG fabric frames | Eye-catching, Flexible & Versatile

Comhan's T-Flex SEG-fabric frames provide the perfect means to indoor advertising. Typical areas of application are:

- Shop Windows
- Airports
- Restaurants/Bars
- Museums
- Showrooms
- Trade shows
- Commercial buildings
- Events
- Sliding doors

The T-Flex series is delivered to the visual communication industry through sign makers and companies active in digital printing and advertising.



Call us for more information or make an appointment on +31 (0) 297 513 636

T-Flex Tension fabric displays: "Innovation in Visual communication!"

Comhan delivers the T-Flex textile frame, a versatile aluminum frame illuminated and non-illuminated for printed fabric and banners. Quick, easy and flexible. For indoor applications available in single and double sided frames. The T-Flex series includes more than 30 models, ideal for situations where a fabric will be changed regularly.



Frameless Cube



Bend frame



T-Door

Order your free sign catalogue through our website



COMHANHOLLAND
— ALUMINIUM —

NL • Amsterdamseweg 27 • 1422 AC Uithoorn • Holland
T +31 (0)297 513 636 • E comhan@comhan.com

DE • Neue Straße 23 • D 58135 Hagen • Deutschland
T +49 (0)2331 625 1900 • F +49 (0)2331 625 1927 • E comhan@comhan.de